


-ALL DIMENSIONS IN INCHES UNLESS OTHERWISE NOTED
 - NO. LAYERS: 4
 - ARRAY: NO
 - BOARD SIZE: 3.900000 x 2.900000 In.
 - X-OUTS ALLOWED: YES
 - SCORING: YES
 - JUMP SCORING: NO
 - TAB ROUT: NO
 - MATERIAL: FR-4
 - FINAL THICKNESS: 0.062000
 - PLATING: IMMERSION GOLD
 - INNER CU WEIGHT: 1 OZ
 - OUTER CU WEIGHT: HALF OZ
 - MASK SIDES: BOTH
 - MASK COLOR: BLUE
 - SILKSCREEN SIDES: BOTH
 - SILKSCREEN COLOR: WHITE
 - GOLD FINGERS: NO
 - MIN TRACE/SPACE: 8/8
 - MIN HOLE SIZE: 8
 - NO. HOLES UNDER 12 MIL: 173
 - PLATED SLOTS: NO
 - PLATED EDGES: NO
 - RoHS COMPLIANT: YES
 - ITAR COMPLIANT: NO
 - CONFORM TO IPC-A-600, CLASS 2: YES
 - CLASS 3: NO
 - MILSPEC: NO
 - ADD UL LOGO: NO
 - ADD DATE CODE: YES
 - ADD 94V-0 MARKINGS: YES
 - COUNTERSINKS/BORES: NO
 - CONTROLLED DIELECTRIC: NO
 - CARBON INK: NO
 - BLIND/BURIED VIAS: NO
 - VIA IN PAD: NO
 - MASK PLUGGED VIAS: NO
 - CONDUCTIVE FILLED VIAS: NO
 - CONTROLLED IMPEDANCE: YES
 - ALL VIAS TO HAVE SOLDERMASK



FLOTSAM LURE REVISION A1 FABRICATION NOTES

DRILL CHART: TOP TO BOTTOM

Sym	Nº	Mils	Tol	Qty	Plated
+	1	8	+/-3.0	7	YES
x	2	10	+/-3.0	166	YES
▣	3	15	+/-3.0	12	YES
◊	4	20	+/-3.0	6	YES
×	5	31	+/-5.0	1	NOT
⊠	6	43	+/-5.0	2	NOT
+	7	51	+/-5.0	1	NOT
+	8	63	+/-5.0	2	NOT
x	9	102	+/-5.0	2	NOT
×	10	156	+/-5.0	4	NOT

DESIGNED BY: HIEU DUONG

LAYER STACK-UP - ALL DIMENSIONS IN MILS			
		50ohm SINGLE ENDED IMPEDANCE CONTROL +/- 10%	100ohm DIFFERENTIAL IMPEDANCE CONTROL +/- 10%
LAYERS	CU WGT (OZ)	TRACE WIDTH	TRACE WIDTH/SPACE
LAYER 1 - SIGNAL PRIMARY SIDE	HALF + PLATING	12	8 / 8
LAYER 2 - GROUND PLANE	1		
LAYER 3 - SPLIT PWR PLANE	1		
LAYER 4 - SIGNAL SECONDARY SIDE	HALF + PLATING	12	8 / 8